

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040199708".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:20
S2	3026	sony.as. and editing	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:18
S3	337	sony.as. and (editing adj system)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:19
S4	2	(timing adj notice) and S3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:19
S5	2	"20040199708".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 10:21
S6	5	usb and S3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:23
S7	3	timing adj notice adj (apparatus device)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:28
S8	258	image adj editing adj system	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:28
S9	0	timing near5 S8	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:28
S10	2	timing with S8	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:29
S11	1	synchronization with S8	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:29
S12	1	synchronization same S8	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:29
S13	11	synchronization and S8	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:32
S14	16724	(image picture photo\$6) near3 edit\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:00
S15	317	timing same S14	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:32
S16	1	(usb "universal serial bus") same S15	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:43
S17	14	(usb "universal serial bus") and S15	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:51
S18	203	358/537.ccls. or 399/182.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:53
S19	517	710/117,313.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:54

S20	0	S18 and S19	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:54
S21	9	S18 and usb	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:59
S22	7202	external near3 timing	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:25
S23	0	S22 and S18	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:59
S24	3	S22 and S19	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 10:59
S25	0	S14 same S22	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:00
S26	47	S14 and S22	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:16
S27	33666	timing near2 (apparatus device)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:16
S28	350	external near2 S27	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:25
S29	0	editing same S28	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:17
S30	11	synchronization with S28	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:17
S31	103	external near3 (timing adj (apparatus device))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:25
S32	0	(image adj editing) same S31	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:59
S33	0	editing same S31	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:25
S34	0	S31 and S18	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:30
S35	7156	frame adj (frequency timing)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:55
S36	38	S22 same S35	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:31
S37	5	S35 and S19	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:54
S38	462	acquir\$3 near3 (timing near3 signal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:57
S39	14	S35 with S38	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:55

S40	0	S38 and S18	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:57
S41	1	S38 and S1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:57
S42	1	S38 and S19	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:57
S43	760	acqui\$6 near3 (timing near3 signal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:48
S44	88	S43 and S35	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:58
S45	88	S35 and S44	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:58
S46	0	(image adj editing) and S44	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 11:59
S47	6	edit\$3 and S44	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:06
S48	17	(editing adj system) same (reference adj signal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:08
S49	4	(editing adj system) near3 (reference adj signal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:06
S50	11086	acqui\$6 near3 (timing reference)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:59
S51	137	external with S50	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:00
S52	1	S35 same S51	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:42
S53	3	S35 and S51	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:42
S54	1	(usb "universal serial bus") same S51	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:44
S55	16	(usb "universal serial bus") and S51	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:44
S56	1	S43 same pci	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:48
S57	1	S43 same (pci "peripheral component interconnect")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:49
S58	0	S18 and (pci "peripheral component interconnect")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 12:49
S59	106551	(acqui\$6 receiv\$3) near3 (timing reference)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:45

S60	2940	external with S59	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:00
S61	1893	external near5 S59	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:00
S62	56	image near7 S61	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:29
S63	2	synchroniz\$5 with S62	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:01
S64	12	computer with (reference timing) with (frame adj synchronization)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:41
S65	2723	710/58,59,61,300,305.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:46
S66	3	(image adj edit\$3) and S65	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:44
S67	239	S59 and S65	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:45
S68	0	(frame adj frequency) and S67	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:45
S69	711	710/58,59,61.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:46
S70	104	S59 and S69	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:46
S71	103	@ad<"20030404" and S70	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:46
S72	7	edit\$3 and S71	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:48
S73	2	S61 and S69	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:58
S74	18821	"predetermined timing"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:59
S75	5278	transmit\$3 near3 ((timing reference) adj signal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 13:59
S76	14	S74 with S75	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:02
S77	479	transmit\$3 near3 (acquis\$5 near3 (command request))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:03
S78	369	receiv\$3 near3 timing with "predetermined timing"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:04
S79	1	S77 same S78	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:05

S80	1	S77 and S78	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:05
S81	0	S28 with (usb "universal serial bus")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:07
S82	0	S28 same (usb "universal serial bus")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:07
S83	10	timing near3 data near3 transfer near3 usb	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 14:25
S84	35	(frame adj frequency) near3 (image adj data)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:16
S85	228	"auto negotiate" autonegotiate "auto baud" autobaud	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 16:32
S86	35	usb and S85	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:53
S87	1	usb same S85	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:31
S88	48	("6167534" "6078005" "5420724" "6381534" "5515211" "5919249" "5990404" "5293572" "6115132" "6166313" "6347998" "5262861" "5920674" "6115051" "5995516" "6154466" "6195690" "4769648" "5602684" "5613056" "6055585" "6101532" "6378011" "6450888" "5872564" "5682326" "5801685" "6067551" "6084168" "6211649" "6223211" "6211649" "6223211" "5294958" "5488196" "5644364" "5799150" "5987501" "6160548" "6784881" "6052151" "6202086" "5186102" "5400243" "5832247" "5890116" "6018784" "6012022" "6177624" "6245982").pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:32
S89	238	"auto negotiate" autonegotiate "auto baud" autobaud "Automatic baud rate detection"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 16:35
S90	0	"Automatic baud rate detection" same usb	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:59
S91	0	"Automatic baud rate detection" same ("universal serial bus" usb)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:59
S92	3	"Automatic baud rate detection" and ("universal serial bus" usb)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 15:59
S93	151	(auto adj1 negotiat\$2) autonegotiat\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 16:32
S94	0	(usb "universal serial bus") same S93	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 16:33
S95	13	(usb "universal serial bus") and S93	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 16:33
S96	25	("auto baud" autobaud "Automatic baud rate detection") and (usb "universal serial bus")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/07 08:51
S97	15	autobauding and (usb "universal serial bus")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 17:15

S98	4	handshak\$3 near5 (over adj2 (usb "universal serial bus"))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 17:18
S99	105	handshak\$3 near5 (usb "universal serial bus")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 17:18
S10 0	1	timing with S99	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/06 17:18
S10 1	0	(handshak\$3 with baud).ti.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/07 08:52
S10 2	0	(autonegotiat\$3 with baud).ti.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/07 08:52
S10 3	0	automatic adj baud adj rate adj synchronization	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/07 08:58
S10 4	5	("5049875"   "5402473"   "5490209"   "6072827"   "6074345").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 09:26
S10 5	0	("6675215").URPN.	USPAT	OR	OFF	2006/02/07 09:46